

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS:

*** NID CANCELLED***trans file*** Was never approved.*

DATE FILED

8-30-57**Nav-14-20-**

LAND: FEE & PATENTED

STATE LEASE NO.

PUBLIC LEASE NO.

INDIAN **603-246**

DRILLING APPROVED:

SPUDED IN:

COMPLETED:

INITIAL PRODUCTION:

GRAVITY A. P. I.

GOR:

PRODUCING ZONES:

TOTAL DEPTH:

WELL ELEVATION:

4667 GR

DATE ABANDONED:

*** 9-4-57**

FIELD OR DISTRICT:

~~Rutherford~~*3/86 Greater Aneth*

COUNTY:

San Juan*North Desert Creek*

WELL NO.

~~RUTHERFORD~~ 43-12**HPI 43-037-11061**

LOCATION:

1961FT. FROM **(X)** (S) LINE,**662**FT. FROM (E) **(X)** LINE. **NE SE**

QUARTER - QUARTER SEC.

12

TWP.

RGE.

SEC.

OPERATOR

TWP.

RGE.

SEC.

OPERATOR

*** 41 S****23 E****12****SHELL OIL COMPANY**

Location Abandoned
never drilled

7-17-91
JER

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

12		
		X

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Tribal LandsLease No. 14-20-603-246

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 29, 1957

North Desert Creek
Well No. 43-12 is located 1961 ft. from N line and 662 ft. from E line of sec. 12

SE 12 (1/4 Sec. and Sec. No.) 41S (Twp.) 23E (Range) SLBM (Meridian)
North Desert Creek (Field) San Juan (County or Subdivision) Utah (State or Territory)

The elevation of ~~the derrick floor above sea level~~ is 4667 ft. (approx. ground)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

1. Drill 11" hole to 1200'±.
2. Cement 8-5/8" casing at 1200'± (depending on water flow) with 400 sacks poz mix and 200 sacks construction cement.
3. Drill 7-7/8" hole to 5665'±.
4. Cement 5-1/2" casing at 5665'± with 200 sacks construction cement.
5. Clean out to 5650'±.
6. Perforate four 1/2" holes/ft. gross interval 5485-5535'±.
7. Wash perforations with 200 gal. mud acid and inject 2000 gal. XFW acid.
8. Make production test and kill well with water.
9. Perforate four 1/2" holes/ft. gross interval 5540-5635'±.
10. Wash perforations with 500 gal. mud acid.
11. Make production test, establish initial rate.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shell Oil CompanyAddress 101 S. BehrendFarmington, N. M.

By

B. W. Shepard

Title

Exploitation Engineer

R.23E. S.L.M.

BLM Brass
Cap Found

RECEIVED
AUG 14 1957
U. S. GEOLOGICAL SURVEY
FARMINGTON
NEW MEXICO

N

Tr. 77

T. 41 S.

12

Note: See field notes
for check and
tie.

BLM
Brass
Cap
Found

662'

1961'

N 0° 02' W 2615'

ELEVATION DATA

GROUND 4667' UG
MATT
D.F.
K.B.
B.M. 4668.3'

BLM Brass Cap
Found

REFERENCE POINT DATUM-

1" x 2" STAKES SET AT 10' N., S., E., & W. OF LOC.

1" x 2" stake and 3' flag set at 200' N., 210' W., 200' S., 180' E.

1" x 2" hub and 10' flag set at Loc. being 1961' N., and 662' W. of
the SE Cor. of Sec. 12, T. 41 S., R. 23 E., SLM.

1" x 2" hub and 3' flag bears North 200' from Loc. for B.M.

Elevations shown hereon are in reference to triangulation Sta. "Pete".

This is to certify that the above plat was prepared
from field notes of actual surveys made under my
supervision, and that the same are true and correct
to the best of my knowledge and belief.

John A. Kroeger
John A. Kroeger, Reg. L.S.
Utah Reg. No. 1648



Drawn By: Ritter

Checked By: JAK

Date: 6/29/57

SHELL OIL COMPANY

Scale 1" = 1000'

LOCATION OF N. DESERT CREEK 43 - 12

SAN JUAN COUNTY, UTAH, Tr. 77, SEC. 12, T. 41 S., R. 23 E., S.L.M.

September 4, 1957

Shell Oil Company
101 South Behrend
Farmington, New Mexico

Attention: B. W. Shepard

Gentlemen:

This is to acknowledge receipt of your notices of intention to drill Well No. North Desert Creek 41-12, 656 feet from the north line and 660 feet from the east line of Section 12, Township 41 South, Range 23 East, and Well No. North Desert Creek 43-12, 1961 feet from the south line and 662 feet from the east line of Section 12, Township 41 South, Range 23 East, SEBM, San Juan County, Utah.

Please be advised that approval to drill the above mentioned wells cannot be granted at this time, in view of the fact that they are off of the well location pattern proposed by a pending spacing application filed by the Continental Oil Company on August 30, 1957. (See Rule C-4(a), of our rules and regulations.)

As soon as a date is set for said hearing, you will be notified.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:cn

cc: Phil McGrath
USGS, Farmington,
New Mexico

DR-USGS